

TRADITION AND INNOVATION

The basic principle of the Acquerelli collection: cutting-edge technology. It is on this concept that the success of the 1980's series is recaptured and updated, with its dynamic character highlighted by the minimalism of its lines, perfectly balanced throughout all the variants of the collection. The technological advances of the Nobili Widd® 28 cartridge can be seen and experienced during daily use of the mixer, helping to save both water and energy.



THE ACQUERELLI COLLECTION IS BACK. IN GREAT FORM.

Technological innovation and creative insight. Hours of development and laboratory tests. Accurate adaptations, subtle improvements. Creation of a prototype in polyurethane resin. Silence and emotion. In the end, the objective is reached. Everyone is happy with the Acquerelli collection: the design staff, satisfied with having once again moved the axis of this innovation a little bit further over. The Centro Stile designers, unable to believe that they

could design such clean elegant lines. Acquerelli is the style resulting from the adoption the new Nobili Widd® 28 cartridge: the maximum technological expression of our brand-name in a diameter of only 28 millimetres. The avantgarde facilities at Suno, where the entire collection is manufactured, make an important contribution to ensuring that this innovative product comes to life. The Acquerelli collection is back. in great form.



Each Nobili mixer possesses all the positive attributes of its brand-name: sophisticated design and cutting-edge technology. The formal elegance of the Acquerelli collection doesn't accept compromise: the single jet shower heads of the bath sets and shower units, for example, have their own specific housing on the right of the mixer body. This new idea simplifies installation of the various parts and improves the architectural impact of the bathroom setting.

WASHBASIN



AQ93118/1CR Single control mixer tap



AQ93118/20CR Single control mixer tap with long spout



AQ93128/2CR Single control washbowl mixer tap



AQ93118/30CR Single control mixer tap

BIDET



AQ93119/1CR Single control mixer tap

BATH



AQ93110CR External single control mixer tap with duplex

SHOWER



AQ93130/1CR External single control mixer tap with duplex



AD140/18RCR Wall rail



AQ93100CR 2-way flush fit single control mixer



AQ93108CR 1-way flush fit single control mixer

SHOWER HEADS SHOWER COLUMN



AD138/44CR, AD139/10CR 350 mm wall-mounted arm, swivel shower head ø 200 mm with rain jet



AD138/67CR, AD139/73CR 160 mm wall-mounted arm, swivel shower head ø 160 mm with rain jet



AD138/67CR, AD139/54CR 160 mm wall-mounted arm, swivel shower head ø 80 mm with rain jet, massage jet and comfort jet



shower head ø 200 mm with rain jet,

single jet shower head

AD140/18CR AQ93130/30CR 650 mm wall rail with single jet External single control mixer, swivel





AD146/4CR Water connection with single jet shower head



AD150/1CR Water connection



shower head

AQ93114CR installation



AQ93113CR Single control mixer tap with swivelling spout

SINK



AQ93113/1CR Single control mixer tap with swivelling body



AQ93117CR

Single control mixer tap with

swivelling body and two-jet

AQ93300/50CR Professional single control mixer tap with swivelling spout and single jet directional shower head



Single control mixer tap, swivelling and tilting spout for under-window



E93350CR Electronic mixer tap with LED light, two-jet directional shower head




AVP3535CR Flush fit soap dispenser, capacity 300 ml.



AQ93300CR Single control mixer tap with swivelling spout and two-jet directional shower head


THE HEART OF THE ACQUERELLI MIXER

The Acquerelli collection has its own technological jewel, the only one of its kind in the world: the extraordinary Nobili Widd® 28 Water Immersion Dry Disc cartridge, designed and produced entirely in our own factories, the only cartridge capable of incorporating so many technological details in just 28 millimetres diameter. Technologies that guarantee unequalled reliability and very environmentally friendly use.



The Nobili Widd® 28 immersion cartridge allows reliability levels to be reached that were unimaginable up until now (torsional strength 18 Nxm, high pressure resistance to over 70 Bar). The water reaches the top of the mixer body flowing around the profile of the cartridge, thus drastically reducing mechanical wear: there are no internal limescale deposits and no grease is washed away. In this way, the lubrication of the plates remains unaltered and, furthermore, the low friction clutch system of the ceramic discs ensures an incredibly smooth movement of the lever. The dynamic flow regulator, temperature limiter and the use of food-grade materials guarantee total respect for the environment.

Nobili Widd® 28 flow graph compiled by the Nobili laboratory on 26/04/2011. Test conditions: cold water at 15°C, hot water at 65°C.



THE TECHNOLOGY

The technological efficiency and pure style of the Acquerelli collection are the result of the extremely high-tech heart with which it is fitted: use of the Nobili Widd® 28 cartridge, the only one in the world capable of housing so many innovations in just 28 millimetres diameter, signifies being able to design elegant and minimalist forms and at the same time reach the highest possible levels of eco-sustainability.



Dynamic flow regulator

The Nobili WaterSaving technology halves the consumption of water by applying a brake to the opening action of the lever at the half flow position (-50%). Once this slight resistance has been overcome, the mixer is free to output all the flow available.



Temperature limiter

Nobili EcoFresh technology prevents risks of scalding and at the same time reduces the consumption of hot water: the maximum temperature of the water output from the mixer can be varied by rotating a ring nut on the cartridge.



A brilliant finish

The gleaming polished finish is guaranteed by chrome plating values higher than the market standard: 15.0 μ m of Nickel and 0.5 μ m of Chrome. All the processes are carried out at our own factories in full compliance with environmental standards.



Fluid movements

The low friction of the clutch type ceramic discs avoids friction between the plates when the mixer lever is turned to the closed position, thus reducing wear of the plates and guaranteeing the soft fluid movement of the lever.



Neoperl® Caché® aerator

A perfect flow of water in minimalist style: the Neoperl® Caché® concealed aerator fitted to the Acquerelli collection supplies the ideal mix of air and water, increasing the jet pressure while reducing the amount of water output.



Parigi® Parinox® Softpex® hoses

The first flexible pipe approved anywhere in the world, thanks to its superior internal hygiene properties, its optimum resistance to temperature and pressure and its improved flexibility compared to pipes in traditional PE-X.



Featherweight

The formal elegance of the Acquerelli 113 and 300 sink mixer taps has been obtained by mounting the new Nobili Widd® 28 cartridge perpendicular to the centreline of the body. Aesthetics, technology, functionality.



Magnetic attraction

The use of the Acquerelli 300 sink mixer tap with 2-jet directional shower head is made easier by the powerful neodymium magnet that attracts the shower head, making its removal and replacement that much easier.



Support flange

The flange type support supplied with all our kitchen mixer taps extends the bearing area over the sink top and greatly increases stability, reducing any oscillation in particularly thin mounting surfaces.















internal production space

products per year

made in Italy

work centres

ecological galvanic plants

photovoltaic modules

CARLO NOBILI SPA RUBINETTERIE via novara 29, 28019 suno (no) italia office +39 0322 885885 fax +39 0322 858091 mail info@grupponobili.it web grupponobili.it

ACATAACQUE/UK

strategy, creative management, texts: marco venzano setting photography, stylist: studio varianti (varianti.it) technical photography: widestudio (widestudio.it) edition: january 2015









#nobiliacquerelli



