

Prestige

the marble beauty


NovaBell®
Ceramiche Gruppo Bellei

Vestire il Prestigio.

La bellezza del
marmo è alla
base del progetto
PRESTIGE.

Armonizzando
passato e futuro,
i colori e le venature
dei marmi più
prestigiosi rendono i
rivestimenti in pasta
bianca, ideali per
avvolgere le stanze
da bagno di fascino
e stile.

PRESTIGE COVERINGS.

The PRESTIGE project is all about the beauty of marble. Creating a continuity between the past and the future, the colours and patterns of the most prestigious marbles make the white body wall tiles perfect for enveloping bathrooms with charm and style.

HABILLER LE PRESTIGE.

La beauté du marbre inspire le projet PRESTIGE. En réconciliant passé et futur, les couleurs et les veines des plus beaux marbres composent des revêtements muraux en pâte blanche qui apportent charme et classe à la salle de bains.

ERLESENES AMBIENTE.

Das Konzept PRESTIGE ist von der Schönheit des Marmors inspiriert. Mit den Farben und Äderungen der edelsten Marmore, die eine Brücke zwischen Vergangenheit und Zukunft schlagen, ermöglichen die weißscherbigen Wandfliesen stilvolle Badgestaltungen.

VESTIR EL PRESTIGIO.

La belleza del mármol constituye la base del proyecto PRESTIGE. Armonizando el pasado y el futuro, los colores y las vetas de los mármoles más prestigiosos convierten los revestimientos de pasta blanca en ideales para dotar de encanto y estilo a los cuartos de baño.

ПРЕСТИЖНОЕ ОБЛАЧЕНИЕ ИНТЕРЬЕРОВ.

В основе коллекции PRESTIGE лежит красота мрамора. Гармонично объединяя прошлое и настоящее, цвета и прожилки самых престижных сортов мрамора превращают эту облицовочную плитку из белой глины в идеальный материал для оформления ванной комнаты и для придания ей очарования и стиля.



LA BELLEZZA DEL MARMO

Unico formato per il rivestimento Prestige in pasta bianca, coniugato in 4 tipi di marmo, Calacatta Bianco, Statuario, Crema e London Grey, caratterizzati dalle inconfondibili venature e coadiuvati da una ricca gamma di raffinati elementi decorativi.



Statuario 25x74
Decoro Pixel 25x74

cm 25x74

inch 9"13/16x29"1/8

≡ 10 mm



RIVESTIMENTI PREGIATI IN PASTA BIANCA
ELEGANT WALL TILES IN WHITE BODY
HOCHWERTIGE WANDFLIESEN AUF WEISSEM SCHERBEN
REVETEMENTS PRECIEUX EN PÂTE BLANCHE
REVESTIMIENTOS PRECIOSOS EN PASTA BLANCA
ЦЕННЫЕ ОБЛИЦОВОЧНЫЕ МАТЕРИАЛЫ ИЗ БЕЛОЙ ГЛИНЫ

Calacatta Bianco



Statuario



Crema



London Grey



THE BEAUTY OF MARBLE

Single size for the Prestige white body wall tile, available in 4 types of marble, Calacatta Bianco, Statuario, Crema and London Grey, distinctive for their unmistakable patterns and accompanied by a rich array of refined decorative elements.

LA BEAUTÉ DE MARBRE

Un seul format pour le carreau mural Prestige en pâte blanche, décliné en 4 marbres - Calacatta Bianco, Statuario, Crema et London Grey - sur lesquels déambulent des veines superbes et une panoplie d'exquises décorations.

SCHÖN MARBLE

Die weißscherbigen Wandfliesen Prestige werden in einem einzigen Format und in 4 Marmoroptiken - Calacatta Bianco, Statuario, Crema und London Grey - mit den unverwechselbaren Äderungen geboten. Hierzu fügt sich eine reiche Palette fein abgestimmter Dekorelemente.

LA BELLEZA DEL MÁRMOL

Un único formato para el revestimiento Prestige de pasta blanca, conjugado con cuatro tipos de mármol, Calacatta Bianco, Statuario, Crema y London Grey, que se caracterizan por sus inconfundibles vetas y se presentan acompañados por una amplia gama de refinados elementos decorativos.

КРАСОТА МРАМОРА

Облицовочная плитка Prestige из белой глины предлагается лишь в одном формате, воспроизводящем 4 разновидности мрамора - Calacatta Bianco, Statuario, Crema и London Grey с характерными для каждого из них прожилками, и пополняется богатым ассортиментом изысканных декоративных элементов.

Classico



Zig-zag



Texture



Pixel



Bamboo





Wall:
Statuario 25x74
Decoro Pixel 25x74
Floor:
Imperial Nero Imperiale 60x60 Lappato

Statuario Pixel



Venature classiche e decoro moderno
racchiusi nella sua eleganza...
unica e raffinata.

*Classic patterns and a modern decoration
encapsulated in its... unique and refined
elegance.*

*Un veinage classique et un décor moderne
figés dans son élégance... unique et
raffinée.*

*Klassische Äderungen und moderne
Dekore bestechen mit der einzigartigen
Eleganz des Marmors.*

*Vetas clásicas y decoración moderna que
se distinguen por su elegancia, única y
refinada.*

*Классические прожилки и
современный декор сливаются
воедино в уникальной и утонченной
элегантности этого материала.*



Wall: Crema 25x74 / Decoro Classico 25x74
Floor: Imperial Crema 60x60 Lappato

Crema/Classico

Accogliente e caldo come un abbraccio. Tradizione e stile inconfondibile



*As welcoming
and warm as
an embrace.
Tradition and
unmistakeable
style*

*Chaleureux et
doux comme
une tendre
embrassade.
Tradition et
classe sans
pareilles*

*Flächenopti-
ken mit einer
behaglichen,
gediegenen
Ausstrahlung.
Tradition und
unverwechsel-
barer Stil.*

*Acogedor y
cálido como
un abrazo.
Tradición
y un estilo
inconfundible*

*Уют и тепло
нежного
объятия.
Традиция и
несравненный
стиль*



Crema/Classico



Wall: Crema 25x74 / Decoro Classico 25x74
Floor: Imperial Crema 60x60 Lappato



Wall: London Grey 25x74 / Decoro Texture 25x74
Floor: Imperial Grigio Imperiale 60x60 Lappato

London Grey/Texture





Wall:
London Grey 25x74
Decoro Texture 25x74
Floor:
Imperial Grigio Imperiale 60x60 Lappato



London Grey Texture

Design e fantasia fanno complice la luce e ti sorprendono nei riflessi di una straordinaria atmosfera.

Design and creativity involve the light and amaze you in the reflections of an incredible atmosphere.

Le design et la fantaisie font de la lumière leur complice pour étonner en se reflétant dans une atmosphère extraordinaire.

Design und Phantasie machen sich Lichteffekte zunutze, um mit einzigartigen Stimmungen in Erstaunen zu setzen.

El diseño y la imaginación se alían con la luz para asombrar con reflejos que generan un ambiente especial.

Дизайн и фантазия взаимодействуют со светом и удивляют отражениями этой великолепной атмосферы.

Calacatta Bianco/Bamboo

Originalità e versatilità
si coordinano in armonia per
un progetto di "abitare" unico e
raffinato.

*The harmonious coordination of
originality and versatility for a unique
and elegant "living" project.*


*L'originalité et la polyvalence forment
une symbiose pour une ambiance «
résidentielle» unique et raffinée.*

*Originalität und Vielseitigkeit gehen
miteinander in einem einzigartigen,
raffinierten Wohnkonzept auf.*

*La originalidad y la versatilidad se
coordinan de forma armoniosa para
dar lugar a un proyecto de vivienda
único y refinado.*

*Оригинальность и
универсальность гармонично
сочетаются для создания
уникального и утонченного
проекта оформления интерьеров.*





Wall: Calacatta Bianco 25x74 / Decoro Bamboo 25x74
Floor: Imperial Calacatta Bianco 60x60



25x74 - 9¹³/₁₆x29¹/₈

PGW 47RT CREMA

06
1070



25x74 - 9¹³/₁₆x29¹/₈

PGW D40K DECORO TEXTURE CREMA

04
350



25x74 - 9¹³/₁₆x29¹/₈

PGW D42K DECORO BAMBOO CREMA

04
410



25x74 - 9¹³/₁₆x29¹/₈

PGW D45K DECORO CLASSICO CREMA


04
410



30x30 - 11¹³/₁₆ x 11¹³/₁₆

PGW 442K MOSAICO SPACCO
CREMA

10
3160



30x30 - 11¹³/₁₆ x 11¹³/₁₆

PGW 443K MOSAICO 2,5x2,5
CREMA

10
3140



30x30 - 11¹³/₁₆ x 11¹³/₁₆

PGW 445K MURETTO CREMA

10
3130



8x25 - 1¹/₈x9¹³/₁₆

PGW X45K LISTELLO CLASSICO
CREMA

04
290



25x74 - 9¹³/₁₆x29¹/₈

PGW D45K DECORO CLASSICO
CREMA

04
410



15x25 - 5⁷/₈x9¹³/₁₆

PGW L42K ALZATA BOISERIE
CREMA

04
400

PAVIMENTO COORDINATO

MATCHING FLOOR / PASSENDEN BODENFLIESEN / CARREAUX DE SOLS COORDONNÉS / PAVIMENTOS COORDINADOS / АООРДИНИРОВАННЫЕ ПОЛЫ



Imperial



Crema

60x60 - 23⁵/₈x23⁵/₈

30x60 - 11¹³/₁₆x23⁵/₈



Imperial



Cappuccino

60x60 - 23⁵/₈x23⁵/₈

30x60 - 11¹³/₁₆x23⁵/₈

My Space



Cognac



london grey



25x74 - 9¹³/₁₆x29¹/₈

PGW 17RT LONDON GREY

06
1070



25x74 - 9¹³/₁₆x29¹/₈

PGW D10K DECORO TEXTURE LONDON GREY


04
350



25x74 - 9¹³/₁₆x29¹/₈

PGW D12K DECORO BAMBOO LONDON GREY


04
410



30x30 - 11¹³/₁₆x11¹³/₁₆

PGW 112K MOSAICO SPACCO
LONDON GREY

10
3160



30x30 - 11¹³/₁₆x11¹³/₁₆

PGW 113K MOSAICO 2,5x2,5
LONDON GREY

10
3140



30x30 - 11¹³/₁₆x11¹³/₁₆

PGW 115K MURETTO LONDON
GREY

10
3130

PAVIMENTO COORDINATO

MATCHING FLOOR / PASSENDE BODENFLIESEN / CARREAUX DE SOLS COORDONNÉS / PAVIMENTOS COORDINADOS / АООРДИНИРОВАННЫЕ ПОЛЫ



Imperial



London Grey

60x60 - 23⁵/₈x23⁵/₈

30x60 - 11¹³/₁₆x23⁵/₈



Imperial



Grigio Imperiale

60x60 - 23⁵/₈x23⁵/₈

30x60 - 11¹³/₁₆x23⁵/₈

My Space



Cloud



Prestige

calacatta bianco

09310
CERAMIC
WALL TILE

White
COLLECTION

10 mm
cm 25x74
inch 9^{13/16}x29^{1/8}



25x74 - 9^{13/16}x29^{1/8}

PGW 87RT CALACATTA BIANCO

06
1070



25x74 - 9^{13/16}x29^{1/8}

PGW D80K DECORO TEXTURE CALACATTA BIANCO

04
350



25x74 - 9^{13/16}x29^{1/8}

PGW D82K DECORO BAMBOO CALACATTA BIANCO

04
410



25x74 - 9^{13/16}x29^{1/8}

PGW D83K DECORO PIXEL CALACATTA BIANCO


04
410



25x74 - 9^{13/16}x29^{1/8}

PGW D84K DECORO ZIG-ZAG CALACATTA BIANCO


04
410



30x30 - 11^{13/16}x11^{13/16}

PGW 882K MOSAICO SPACCO
CALACATTA BIANCO

10
3160



30x30 - 11^{13/16}x11^{13/16}

PGW 883K MOSAICO 2,5x2,5
CALACATTA BIANCO

10
3140



30x30 - 11^{13/16}x11^{13/16}

PGW 885K MURETTO
CALACATTA BIANCO

10
3130

PAVIMENTO COORDINATO

MATCHING FLOOR / PASSEND BODENFLIESEN / CARREAUX DE SOLS COORDONNÉS / PAVIMENTOS COORDINADOS / АООРДИНИРОВАННЫЕ ПОЛЫ



Imperial

Calacatta Bianco


60x60
23^{5/8}x23^{5/8}
30x60
11^{13/16}x23^{5/8}



Imperial

Grigio Imperiale

60x60
23^{5/8}x23^{5/8}
30x60
11^{13/16}x23^{5/8}



Imperial

Nero Imperiale

60x60
23^{5/8}x23^{5/8}
30x60
11^{13/16}x23^{5/8}



statuario



25x74 - 9¹³/₁₆x29¹/₈
PGW 07RT STATUARIO

06
1070



25x74 - 9¹³/₁₆x29¹/₈
PGW D00K DECORO TEXTURE STATUARIO

04
350



25x74 - 9¹³/₁₆x29¹/₈
PGW D02K DECORO BAMBOO STATUARIO

04
410



25x74 - 9¹³/₁₆x29¹/₈
PGW D03K DECORO PIXEL STATUARIO

04
410




25x74 - 9¹³/₁₆x29¹/₈
PGW D04K DECORO ZIG-ZAG STATUARIO

04
410



30x30 - 11¹³/₁₆x11¹³/₁₆
PGW 002K MOSAICO SPACCO
STATUARIO

10
3160



30x30 - 11¹³/₁₆x11¹³/₁₆
PGW 003K MOSAICO 2,5x2,5
STATUARIO

10
3140



30x30 - 11¹³/₁₆x11¹³/₁₆
PGW 005K MURETTO
STATUARIO

10
3130

PAVIMENTO COORDINATO

MATCHING FLOOR / PASSEND BODENFLIESEN / CARREAUX DE SOLS COORDONNÉS / PAVIMENTOS COORDINADOS / АООРДИНИРОВАННЫЕ ПОЛЫ



Imperial



Statuario

60x60
23⁵/₈x23⁵/₈
30x60
11¹³/₁₆x23⁵/₈



Imperial



Grigio Imperiale

60x60
23⁵/₈x23⁵/₈
30x60
11¹³/₁₆x23⁵/₈



Imperial



Nero Imperiale

60x60
23⁵/₈x23⁵/₈
30x60
11¹³/₁₆x23⁵/₈

CARATTERISTICHE TECNICHE

TECHNICAL PROPERTIES / TECHNISCHE DATEN / CARACTÉRISTIQUES TECHNIQUES / CARACTERÍSTICAS TÉCNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

The international reference standards: ISO - EN

The values of the main technical characteristics measured on our products, compared with international standards, are clearly shown and reproduced on our contractual documents (catalogs, price lists, etc.).

The values given in this document are common to groups of articles or series of our tiles and therefore are to be used as a guide for a first orientation in choosing the product. If required, the specific values for a given product of a determined supply can be provided depending on its intended use, when formally brought to our attention by notice in writing.

Characteristics and Test methods 	Requirements EN 14411 ⁽¹⁾ – L / ISO 13006 ⁽²⁾ - L	Our general values
Determination of water absorption - (ISO 10545-3)	Average value $E_a > 10\%$ / Individual minimum 9% When the average exceeds 20% , this shall be indicated	Average value and individual $> 10\%$ and less than 20%
Classification	Classification – Table 1	Group BIII
		Physical properties
Modulus of rupture - (ISO 10545-4)	Average $\geq 15\text{ N/mm}^2$ for thickness $\geq 7,5\text{ mm}$ Average $\geq 12\text{ N/mm}^2$ for thickness $< 7,5\text{ mm}$	$\geq 20\text{ N/mm}^2$
Breaking strength - (ISO 10545-4)	Average $\geq 600\text{ N}$ for thickness $\geq 7,5\text{ mm}$ Average $\geq 200\text{ N}$ for thickness $< 7,5\text{ mm}$	Complies
Coefficient of linear thermal expansion (ISO 10545-8)	Declared value ⁽¹⁾ / Test method available ⁽²⁾	$< 9 \cdot 10^{-6}\text{ }^\circ\text{C}^{-1}$
Thermal shock resistance (ISO 10545-9)	Pass according to EN ISO 10545-1 ⁽¹⁾ / Test method available ⁽²⁾	Resistant
Crazing resistance (ISO 10545-11)	Pass according to EN ISO 10545-1 ⁽¹⁾ / Required ⁽²⁾	Resistant
Moisture expansion (ISO 10545-10)	Declared value ⁽¹⁾ / Test method available ⁽²⁾	$\leq 0,2\text{ mm/m}$
Small colour differences (ISO 10545-16)	$\Delta E_{cmc} < 0,75^{(1)}$	If agreed
Reaction to fire	Class A1 or A1 _{FL} ⁽¹⁾	A1 (CWT)
		Chemical properties
Chemical resistance -(GL) (ISO 10545-13)		
Resistance to low and high concentrations of acids and alkalis	Declared value ⁽¹⁾ / manufacturer is to state classification ⁽²⁾	Resistant
Resistance to household chemicals and swimming pool salts	Minimum class B	Complies
Resistance to staining (ISO 10545-14)	Minimum class 3	Complies
Release of dangerous substances (ISO 10545-15)	Declared value ⁽¹⁾ / Test method available ⁽²⁾	$\text{Pb} < 0,1\text{ } / \text{Cd} < 0,01\text{ mg/dm}^2$
		Dimensions and surface quality
Length and width - (ISO 10545-2 § 2)	Max deviat. % from $W \leq \pm 0,6\text{ } (\pm 2,0\text{ mm})$ for $N \geq 15\text{ cm}$ Max deviat. % from $W \leq \pm 0,75\text{ mm}$ for $N < 15\text{ cm}$	Complies
Thickness - (ISO 10545-2 § 3)	Max deviat. % from $W \leq \pm 10\text{ } (\pm 0,5\text{ mm})$ for $N \geq 15\text{ cm}$ Max deviat. % from $W \leq \pm 0,5\text{ mm}$ for $N < 15\text{ cm}$	Complies
Straightness of sides - (ISO 10545-2 § 4)	Max deviat. % $\leq \pm 0,3\text{ } (\pm 1,5\text{ mm})$ for $N \geq 15\text{ cm}$ Max deviat. $\leq \pm 0,5\text{ mm}$ for $N < 15\text{ cm}$	Complies
Rectangularity - (ISO 10545-2 § 5)	Max deviat. % $\leq \pm 0,5\text{ } (\pm 2,0\text{ mm})$ for $N \geq 15\text{ cm}$ Max deviat. $\leq \pm 0,75\text{ mm}$ for $N < 15\text{ cm}$	Complies
Centre curvature - (ISO 10545-2 § 6)	Max deviat. % $\leq + 0,5\text{ } / - 0,3\text{ } (+ 2,0\text{ } / - 1,5\text{ mm})$ for $N \geq 15\text{ cm}$ Max deviat. from $W \leq + 0,75\text{ } / - 0,50\text{ mm}$ for $N < 15\text{ cm}$	Complies
Edge curvature - (ISO 10545-2 § 6)	Max deviat. % $\leq + 0,5\text{ } / - 0,3\text{ } (+ 2,0\text{ } / - 1,5\text{ mm})$ for $N \geq 15\text{ cm}$ Max deviat. from $W \leq + 0,75\text{ } / - 0,50\text{ mm}$ for $N < 15\text{ cm}$	Complies
Warpage - (ISO 10545-2 § 6)	Max deviat. % $\leq \pm 0,5\text{ } (\pm 2,0\text{ mm})$ for $N \geq 15\text{ cm}$ Max deviat. from $W \leq \pm 0,75\text{ mm}$ for $N < 15\text{ cm}$	Complies
Surface quality - (ISO 10545-2 § 7)	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles	Complies

(1) Requirements according to Fpr EN 14411:2015

(2) Requirements according to ISO 13006:2012

IMBALLI E PESI

PACKING AND WEIGHT / POIDS ET EMBALLAGES / VERPACKUNG UND GEWICHT EMBALAJES Y PESOS / УПАКОВКА И ВЕС



SCATOLA/BOX



PALLET

	Pz.	m ²	Kg	Sc	m ²	Kg
25x74	6	1,110	18,5	54	59,940	1000

MERCHANDISING



PG PGWFT




PG PGW07



PG PGW17



PG PGW87



PG PGW47

SCALETTA / CRADLE
ESCALIER / LEITER
ESCALERILLA / СТЕП



SCAPGW4



NOVABELL SpA CERAMICHE ITALIANE
via Molino, 1 - 42014 Roteglia (RE), Italia
T +39 0536 86 11 11 - F +39 0536 85 12 05
info@novabell.it - export@novabell.it
www.novabell.it

CAT-PGW

